



LIVESTOCK TRAILERS



SAFE. SECURE. SMART.



ALL-ALUMINUM FEATHERLITE STOCK TRAILERS. SUPERIOR VALUE. SUPER TOUGH. A LIGHTER, SMOOTHER TOW THAT CAN SAVE FUEL.

**They can outlast a half-dozen pickups — and no telling how many steel trailers.
Featherlites are priced right and have the best resale available. From bumper pulls to
double-deck semi-trailers, Featherlite builds a stock trailer for any operation.**

NOTE: The specs listed in this brochure for each model are considered 'base' specs. Many more choices beyond those listed are available. See your Featherlite dealer. Some trailers may be shown with prior model year sidewalls.


FARMERS: THE FACTS ARE CLEAR!



Side panels with smooth interior wall



Wiring harness keeps wiring secure



Heavy-duty crossmembers



Optional Step Safe gates protect livestock



Brawny drop gate standard



Heavy-duty rear hardware

QUALITY FEATURES

Aluminum Uni-Body Construction.

Featherlite livestock trailers are constructed with high quality, extruded 6061-t6 alloy-tempered aluminum, giving livestock haulers the best of both worlds—unmatched reliability with the classic Featherlite look. All components of the trailer from side posts to roof rails to roof bows to cross members are engineered into a uni-body design. The Featherlite uni-body design gives you a stronger, more durable trailer. With proper maintenance, your Featherlite trailer will give you years of reliable livestock hauling.

Arched Aluminum Roof.

Compared to many flat roofs, Featherlite's arched aluminum roof is stronger, functions to allow rain or snow to run off efficiently and is aesthetically favored by trailer owners. Featherlite's roof fabrication is unique to trailer manufacturing, utilizing the superior pierce and roll system (used by airplane manufacturers) in the construction of each trailer roof. Tough, durable self-piercing steel rivets are driven into the aluminum, but no hole completely pierces into the roof. Instead a secure crown forms up and around the bottom of the rivet, reducing the opportunity for water leakage.

Stronger Aluminum Sidewalls.

Featherlite's new side panel design is thicker and adds even more strength and durability to our already heavy-duty stock trailers. In addition, the back side of the panels is more flat and smooth, making for an easier to clean wall.

Wiring Harness.

Many manufacturers wire their trailers with individual wires but at Featherlite, all wires are bundled in a protective jacket, known as the Featherlite wiring harness. The Featherlite wiring harness provides a water-tight seal, protects against wire wear and tear and makes connecting wires easier.

Slam Latch.

Featherlite's recently enhanced slam latch is stronger, easier to use and safer for your customer and their livestock. The slam latch features a one-piece extrusion that lies more flat to the side of your trailer.

Heavy-Duty Crossmembers.

Featherlite stock trailers have a solid support system underneath for the heaviest loads. 4" crossmembers run every 12" under the trailer on most models.

Drop Gate.

Brawny drop gate features convenient, one-handed tailgate

hatch. It lays flat against the drop wall and the open beam makes it easy to clean.

Rubber Torsion Axles.

Featherlite's rubber torsion axles provide an unbelievably easy pull and smooth ride. Featherlites are equipped with E-Z Lube axles and forward adjusting brakes as standard features on models with axles of 2.2K through 8K. The E-Z Lube axles make bearing lubrication quick and easy with an E-Z Lube cap that allows for easy access, extra protection and virtually no mess. Forward adjusting brakes adjust to proper clearances during travel allowing you to stop with confidence. It also eliminates the need for manual brake adjustments, saving you time and money.

More Features Standard.

Featherlite is continually adding more value to its livestock trailers with its standard features, including thicker rear cam lock hardware for added strength and larger pins on the rear gates and center sliders for more security. In addition, Featherlite's aluminum one-piece running boards feature a rear taper and aluminum huck bolts that reduce corrosion.

POPULAR OPTIONS

Step-Safe™ Gates.

Optional patent-pending "Step Safe" rear and center gates make loading and unloading dramatically easier, especially for those livestock unaccustomed to loading. Livestock don't have to step over the gate track, instead it slides with the door.

PerfectFit™ System.

Easily customize your livestock trailer around your life and your livestock with the Featherlite PerfectFit System.

Flooring Options.

Featherlite has several flooring options for your stock trailer including Easy Care Flooring. The 3/4" thick Easy Care Flooring provides a porous surface that allows fluids to flow through and eliminates the need for bedding or cleaning under horse trailer mats when equipped in stock or combo trailers.



Featherlite Warranty.

Featherlite livestock trailers come with an extra measure of security — The Featherlite 10-year limited transferable structural warranty*. Most new models come with a 3-year hitch-to-bumper warranty*!

WANT MORE INFO & SPECS? GO TO WWW.FTHR.COM

GOOSENECKS

Featherlite goosenecks are legendary for their unmatched stability, versatility and convenience. Featuring an arched, one-piece aluminum roof, strong extruded aluminum floor and heavy-duty crossmembers, each model has a unique combination of features that stockmen have told us work best for them.



8127 SPECIFICATIONS

Model Shown: 8127

- Aluminum body construction
- Extruded interlocking, skid resistant aluminum floor
- Tandem 7K axles on 16' to 26' and 28' (7' wide)
- Triple 7K axles on 32', 34' & 36' (7' wide)
- Tandem 8K axles on 28' (7'6" & 8' wide) & 30'
- Triple 8K axles on 36' (7'6" & 8' wide)
- Silver modular wheels
- 2 $\frac{3}{16}$ " adjustable ball type coupler
- Sealed beam running lights and 4 stop/turn lights
- One dome light with switch
- Full opening center gate with slam latch with slider
- Full opening back endgate with slide-by on driver's side
- Side escape door on curbside
- Full width drop partition hinged down
- Full width rubber dock bumper across lower rear frame
- Break-away switch with heavy-duty battery and safety chains
- Heavy-duty rear endgate frame
- Full-length running boards on 7' and 7'6" wide trailers
- 4" heavy-duty I-beam crossmembers on 12" centers
- Extruded roof bows on 24" centers
- Spare tire carrier
- Heavy-duty C-channel subframe
- All LED lights
- Tapered nose

Footnote: 102" axles may not be legal on all types of roads

8127 POPULAR OPTIONS

- Quiet-Ride HD floor
- Roof vent
- Roll-up door in rear gate
- Plexiglass side panel
- Extra height
- "Western" rear gate
- Graphics packages
- Different air spacing options
- Rear gate slam latch
- Double deck option
- Interior and exterior ramps
- Full width vent on drop wall

All dimensions are approximate. Some trailers may be shown with options.



Shown: 24' model with plexiglass and spare tire option.

Model 8127

Most popular livestock trailer available with numerous options

- Base 16', 18', 20', 24', 26', 28', 30', 32', 34' & 36' lengths
- 7', 7'6" & 8' widths
- 6'6" tall
- Full swing rear gate with lockable slider
- Available with any quantity of center gates depending on length. Gates can be positioned to owner's preference.
- Curbside escape door
- Available with low profile option



Shown: 24' model with optional plexiglass, painted roof rail, side ramp and more.



Shown: 34' model with 54" escape door, black sides sheets and more.

Popular low profile options

- Optional 5' height
- Plexiglass airspaces
- Hinged or bolt-on cover panels
- Simulator rims
- Adjustable gates, Step Safe center gates and more!
- Low profile option available on any length trailer



Shown with double deck option.



Custom graphics wraps are available on Featherlite stock trailers.

GOOSENECKS



Shown: 20' model shown with optional black sheets and running boards.

Model 8117

"Lite-priced" gooseneck trailer with aluminum floor and center gate with slam latch

- Base 16', 20' & 24' lengths
- 6'7" wide
- 3" crossmembers on 12" centers
- Full swing rear gate with lockable slider
- Curbside escape door



Shown: 16' model shown with optional black sheets and running boards.



Shown: 40' with optional steps and additional lights.

Model 8271

High capacity hauler that's easy to maneuver

- Lengths up to 40'
- 8' wide & 6'6" tall
- Skid resistant interlocking extruded aluminum floor
- Triple axles
- Radius roof rail
- Extra carrying capacity
- Ease plus turning radius of gooseneck design



Model 8413

Versatile combo trailer available in lengths of 16', 20', 24', 28' and 32'

- 7', 7'6" or 8' wide
- 7' tall
- 4' straight wall or 3' short wall dressing room
- Escape door
- White aluminum exterior sheets at front
- Full swing rear door with lockable slider



Shown: 24' model



Shown: 24' model with optional plexiglass and spare tire.

7

Model 8417

"Lite-priced" gooseneck combo trailer with wood floor standard

- Lengths of 16', 20' & 24'
- 6'7" wide & 7' tall
- Escape door
- Full swing rear gate with lockable slider



20' model shown with optional plexiglass, black side sheets and running boards.

Dimensions shown are approximate and may vary.

ADVANCED MANUFACTURING

Featherlite blends a highly skilled workforce with the latest in high technology robotics, computer aided design and computerized machining centers to build your livestock trailers with extraordinary precision and quality. Continuing advances in technology are one reason why the Featherlite brand maintains its leadership position in the industry and consistently high levels of customer satisfaction.

BUMPER PULLS

Stylish, affordable and compact, Featherlite bumper pull trailers incorporate many features that other manufacturers might offer as options while utilizing high quality construction methods and materials. And with the aerodyne nose standard on bumper pulls, towing has never been easier or more economical.



WANT MORE INFO & SPECS? GO TO WWW.FTHR.COM



Shown: 16' model shown with optional spare tire.



Model 8107

Bumper pull livestock trailer with aerodynamic v-nose and rear and center gate

- Aluminum floor standard
- Base 12', 16' and 20' lengths
- 6'7" or 7' wide
- 5'3", 6'6" or 7' inside height
- Brakes on all wheels
- Two top airs standard
- Full swing rear gate with slider
- Full swing center gate with slam latch

9



Shown: 16' low profile with plexiglass, rear ramp, black side sheets and other options.

SEMI

Enhance your livestock operation with a Featherlite semi trailer.



Model 8270

Semi livestock trailer available in many lengths starting at 34'.

- 8'6" wide and 7' inside height
- Corrugated aluminum treadplate floor
- Two 20K axles (Single axle on 34' length)
- Center gate & drop partitions
- Fully customizable



Model 8261

53' double deck semi livestock trailer with roll-up rear door

- 8'6" wide and 9'6" inside height
- .125 aluminum treadplate floor
- Two 20K axles
- 8 full-swing center gates with slam latches (4 on each level)
- Winter enclosure kit optional
- Fully customizable to your operation's needs

LIVESTOCK BOX

An alternative to a stock trailer, livestock truck boxes load easily in the bed of a pickup truck for hauling one or two small animals.

Model 8191

Livestock box featuring all-aluminum construction.

- 3'6" wide and 41" tall
- Two lengths — 6' or 7'6"
- Full swing rear door



Shown: 7'6" long model with optional polished panels

Featherlite gives you more...

GREAT FEATURES & OPTIONS



Featherlite has incorporated features and options into its livestock trailers important to you and your animals' safety.



* Some features and options not available on certain trailer models.

- | | | |
|---|--|---|
| 1. High visibility wraparound LED lights on rear | 10. Full length running boards for easy access to check livestock (not on 8117 & 8107) | 20. Pierce & roll roof rivet system helps prevent water leaks |
| 2. Convenient load height of 18" | 11. Inside height of 6'6" standard on most models | 21. Heavy-duty drop leg with high speed crank & landing gear |
| 3. Heavy-duty, durable full swing rear gate with lockable slider | 12. Rounded, flush mounted clearance lights standard | 22. Convenient location for storing jack handle |
| 4. Stylish & strong sidewalls | 13. Durable aluminum flooring with 4" cross-members on 12" centers | 23. Tapered 8' gooseneck |
| 5. E-Z Lube axles and forward adjusting brakes standard offer convenience and maintenance savings | 14. Heavy-duty center gate with slider and slam latch; Step Safe gates optional | 24. Enclosed overhead wiring for safety, low maintenance |
| 6. Extruded aluminum fenders resist the elements and tapered fenders inside reduce hazards when loading | 15. Roof bows on 24" centers for added durability | 25. Durable all-aluminum construction throughout |
| 7. Heavy-duty roof rail with 5" radius corners | 16. Convenient 32 1/2" wide escape door | 26. Safety chains with breakaway switch & battery |
| 8. Durable, full length, arched 1-piece aluminum roof | 17. Bolt-on hinges on gates for easy maintenance, durability | 27. 2 5/16" adjustable coupler |
| 9. Heavy-duty aluminum side posts on 18" centers | 18. Optional spare tire & wheel | |
| | 19. Gooseneck drop partition in nose | |

- A** Lockable slider
B Safety keeper on pressure latches and rear door
C Exclusive patented slam latch—newly redesigned!
D Drop down gate latch
E Spring-loaded gate holdback
F 54" escape door option



MANY MORE OPTIONS AVAILABLE

- 1 Standard tapered nose 2 Aerodynamic V-nose 3 Nose shown with optional access door
4 Standard rear door 5 Optional roll up door 6 Double rear doors



All Featherlite trailers are manufactured in compliance with the National Association of Trailer Manufacturers (NATM).

"I love my Featherlite! It is bigger than my previous trailer but much lighter and easier for me to hitch, load and haul to my cattle shows by myself. Before Featherlite my fuel mileage dropped greatly when I hauled even a few head of cattle. Now it is about the same whether hauling or not. This trailer has been a tremendous time and money saver for me."

MODEL 8127 OWNER



FOR EVERY HAULING NEED: FEATHERLITE TRAILERS

12



Model 9409 Bumper Pull Aluminum Horse Trailer

- 2, 3 or 4-horse
- Various dressing room sizes
- Folding rear tack
- Shown w/ optional panels



Model 1610 Utility/Recreation Trailer

- Versatile — for home, recreation, business
- Featherlite Advantage flooring



Model 1585 Aluminum Flatbed Trailer

- Durable Featherlite quality
- Up to 24,000 GVW available
- 8'6" bed width



Model 3110 Car Hauler with Power Lift Pkg.

- Power/electric tilt bed — no need for ramps
- Easily load cars & farm equipment

Ask your Dealer about loans & leases on new trailers!

- Competitive Rates
- Convenient, Flexible Payment Options
- Fixed Rates

Contact a Featherlite Dealer for Details. Your area dealer is:



< See the walkaround tour
of Featherlite Model 8127.
Snap this with your smart phone.

phone **563.547.6000**

toll free **800.800.1230**

fax **563.547.6100**

web **www.fthr.com**

email **besttrailers@fthr.com**

address **Hwy. 63 & 9, Cresco, IA 52136**

All dimensions shown in this brochure are approximate and may vary.
Featherlite, Inc. reserves the right to change or alter these specifications without notice. Some trailers shown with optional equipment.
©6/2018 Featherlite, Inc. Printed in the United States.

* 10-year warranty applies to 2013 and newer non-commercial models sold on or after February 1, 2012. 3-year bumper-to-bumper warranty available on select new 2013 and newer trailers registered on or after October 4, 2013. Models 8117 and 8417 come with 1-year bumper-to-bumper. Transferable warranty available only on trailer with remaining warranty traded in for a new Featherlite trailer at an authorized Featherlite dealer and resold by the authorized Featherlite dealer. See dealer for details. Some restrictions apply.



Safe. Secure. Smart.