

CAR TRAILERS



FEATHERLITE
TRAILERS. 



WHY CHOOSE FEATHERLITE TRAILERS?

Get your car to the show, the race or any big event in the best—an all-aluminum Featherlite car trailer. Easy towing, durable, feature-rich Featherlites are the first choice of champions and auto enthusiasts everywhere.

All-aluminum construction. Customers report that Featherlite's all-aluminum trailers give them more payload capacity, smoother travel, fuel savings with the lightweight construction and a higher resale value.

Peace of mind. You have the peace of mind and confidence of owning a car trailer with a 10-year limited structural warranty* with 3-year hitch-to-bumper on most models. Featherlite's industry-leading warranty and its over 50 years of experience building quality aluminum trailers gives you a trailer you can trust for the long haul.

Aluminum wheels with Goodyear® tires. Featherlite car trailers feature standard aluminum wheels and Goodyear tires, giving even more value and style to your car hauler. Matching spare tire standard with Model 4410.

Heavy-duty crossmembers. Heavy-duty 4" I-Beams on 12" centers give your trailer added strength and adds to the uni-body design. (on most models)

Rivetless sides. The Model 4410 features our patent pending smooth rivetless side sheets, which give the trailer a sleeker, smoother looking exterior. It also allows for easier graphic application.

D ring tie downs. Featherlite's D ring tie downs are handy to use to tie down cargo. Featherlite's standard features give car owners extra convenience and add to the overall value of the trailer.

Aluminum floor. Durability on the outside is also found in the inside with Featherlite's standard aluminum floor. (on most models)

Wiring harness. All wires are bundled in a protective jacket, known as the Featherlite wiring harness, to protect against wear and tear.

LED lighting. Interior LED strip lights are now standard inside enclosed car haulers for an even brighter interior.



Heavy-duty crossmembers



D ring tie downs



Aluminum wheels



Quality & durable aluminum construction



Rivetless side sheets on 4410

* Features above may vary depending on trailer model. Some options are not available on all models.



BUMPER PULL CAR TRAILERS

Great looking Featherlite bumper pulls are affordable and compact and can be hauled by a wide selection of vehicles including SUVs and motorhomes. Custom workshops, living quarters and cabinetry are available as options in Featherlite's enclosed models.



Model 4410 features patent pending rivetless side sheets, a flat nose, spread axle design and enhanced standard features, including a matching spare tire, 16" ramp extension and rear load light.

Model 4410

| | |
|------------------------|---|
| Hitch Type | Bumper pull |
| Enclosed/Open | Enclosed |
| Length | 20', 24', 28' or 32' |
| Width | 8'6" |
| Wall to Wall Width | 98" (rear opening width=94 1/4") |
| Fender to Fender Width | 82" |
| Inside Height | 7' 0" with options of 7'6" or 8'0" |
| Loading Height | 20" |
| Axes | 20' to 28' = 2 rubber torsion axles with electric brakes (20' = 4800# axle; 24' & 28' = 6000#); 32' = 3 rubber torsion axles with electric brakes (6000# axles) |
| Tie Downs | Stainless steel swivel "D" ring tie downs (Qty: 4) |
| Floor | Smooth extruded aluminum floor |
| Side Door | 36" heavy-duty 2" double sealed door on curbside (20'); 42" heavy-duty 2" double sealed door on curbside (24' & up) |
| Ramp | Full height & width rear ramp with cable assist, pressure latches, treadplate & vinyl hinge cover |
| Colored Side Sheets | White sheets standard; Black, burgundy, champagne, charcoal, red, silver and indigo blue optional |
| Warranty | 10-year limited structural*, 3-year hitch-to-bumper warranty; Transferable warranty** available on qualified trailers |



Model 4926 features a smooth extruded aluminum floor, gravel guard and a rear ramp with cable assist. Customization options include cabinets for tools and spare parts, front ramp and dual or tri-color side sheets among others.

Model 4926

| | |
|------------------------|---|
| Hitch Type | Bumper pull |
| Enclosed/Open | Enclosed |
| Length | 16', 18', 20', 22', 24', 26', 28', 30' & 32' |
| Width | 8' 6" |
| Wall to Wall Width | 99" (92 3/8" rear frame) |
| Fender to Fender Width | 81" |
| Inside Height | 7' 0" |
| Loading Height | 18" |
| Axles | 2 rubber torsion axles with electric brakes; 16', 18' & 20' = 3500#; 22' & 24' = 4800#; 26' & 28' = 5200#; 30' & 32' = 7000#; E-Z Lube axles standard. |
| Tie Downs | Stainless steel swivel "D" ring tie downs (Qty: 4) |
| Floor | Smooth extruded aluminum floor |
| Side Door | 36" deluxe camper door with deadbolt & screen |
| Ramp | Full height and width rear ramp with cable assist & pressure latches; beaver tail; Available with 6' nose option and front ramp (great for snowmobiles) |
| Colored Side Sheets | White sheets standard; Black, burgundy, champagne, charcoal, red, silver and indigo blue optional |
| Warranty | 10-year limited structural*, 3-year hitch-to-bumper warranty; Transferable warranty** available on qualified trailers |



Model 3110 open car hauler features stainless steel swivel D rings, removable fenders and ramps that store underneath the trailer. Options include skid loader package, air dam and power lift package.



Model 3182 features an increased fender-to-fender width giving you a wider platform for loading and hauling your vehicles. In addition, it includes removable fenders, standard aluminum wheels and two easy-to load ramps with in-chassis storage.

Model 3110

| | |
|------------------------|--|
| Hitch Type | Bumper pull |
| Enclosed/Open | Open |
| Length | 14', 17' 6", 20', 22' & 24' |
| Width | 14' & 17' 6" = 8' or 8' 6"; 20', 22' & 24' = 8' 6" |
| Wall to Wall Width | NA |
| Fender to Fender Width | 8' 0" = 73 1/2"; 8' 6" = 79" |
| Loading Height | 19" |
| Axles | 2 rubber torsion axles with electric brakes; 14' & 17' 6" = 3500#; 20' = 4800#; 22' = 5200#; 24' = 6000#; E-Z Lube axles standard. |
| Tie Downs | Stainless steel swivel "D" ring tie downs (Qty: 4) |
| Floor | Skid resistant extruded aluminum floor |
| Ramp | Two "Flex Foot" ramps with storage underneath trailer (6' long on 14' & 17' 6" and 7' long on 20', 22' & 24') |
| Warranty | 10-year limited structural*, 3-year hitch-to-bumper warranty; Transferable warranty** available on qualified trailers |

Model 3182

| | |
|------------------------|---|
| Hitch Type | Bumper pull |
| Enclosed/Open | Open |
| Length | 16', 18', 20' & 22' |
| Width | 8' 6" |
| Fender to Fender Width | 83 1/2" |
| Loading Height | 19" |
| Axles | Tandem 3500# rubber torsion axles with electric brakes |
| Tie Downs | Surface mounted airline tie down system |
| Floor | Skid resistant extruded aluminum floor |
| Ramp | Two multi-location aluminum ramps with in-chassis storage (6' long on 16' & 18' and 7' long on 20' and 22') |
| Warranty | 10-year limited structural*, 1-year hitch-to-bumper warranty; Transferable warranty** available on qualified trailers |



GOOSENECK CAR TRAILERS

Featherlite gooseneck car trailers are legendary for stability, versatility and convenience. Featherlite goosenecks provide the option for a longer trailer with additional storage space in the gooseneck and throughout the trailer. The design of an enclosed gooseneck allows for optional custom workshops, living quarters, cabinetry and internal lifts.



Model 4941 includes a smooth extruded aluminum floor, rear ramp with cable assist and a heavy-duty double sealed side door. Choose from many options, including cabinets, workbenches, colored side sheets, expanded height and more!

Model 4941

| | |
|------------------------|---|
| Hitch Type | Gooseneck |
| Enclosed/Open | Enclosed |
| Length (on the floor) | 20'; 22'; 24'; 26'; 28'; 30'; 32'; 34'; 36'; 38'; 40' and 45' |
| Width | 8' 6" |
| Wall to Wall Width | 99" (92 3/8" rear frame) |
| Fender to Fender Width | 81"; 79" (45 ft. model) |
| Inside Height | 7' 0" |
| Loading Height | 18" |
| Axles | 20' through 34' = Two 7000# rubber torsion axles w/ electric brakes; 36' through 40' = Three 7000# rubber torsion axles w/ electric brakes; 45' = Three 8000# rubber torsion axles w/ electric brakes; E-Z Lube axles standard. |
| Tie Downs | Stainless steel swivel "D" ring tie downs (Qty: 4) |
| Floor | Smooth extruded aluminum floor |
| Side Door | 42" heavy duty 2" double sealed camper door on curbside |
| Ramp | Full height and width rear ramp with cable assist & pressure latches; beaver tail |
| Colored Side Sheets | White sheets standard; Black, burgundy, champagne, charcoal, red, silver and indigo blue optional |
| Warranty | 10-year limited structural*; 3-year hitch-to-bumper warranty; Transferable warranty** available on qualified trailers |



The gooseneck version of Model 3110, the 3112 comes in lengths ranging from 20' to 30'. Features include two 7' ramps that can be stored under the trailer, removable fenders with stainless steel fender latches and stainless steel swivel D-rings.

Model 3112

| | |
|------------------------|---|
| Hitch Type | Gooseneck |
| Enclosed/Open | Open |
| Length (on the floor) | 20', 24', 26' and 30' |
| Width | 8' 6" |
| Fender to Fender Width | 79" |
| Loading Height | 22.5" to 24.5" |
| Axles | 20' = Two 5200# rubber torsion axles with electric brakes; 24' and 26' = Two 6000# rubber torsion axles with electric brakes; 30' = Three 5200# rubber torsion axles with electric brakes; E-Z Lube axles standard. |
| Tie Downs | Stainless steel swivel "D" ring tie downs (Qty: 4) |
| Floor | Skid resistant extruded aluminum floor |
| Ramp | Two 7" "Flex Foot" ramps with storage underneath trailer |
| Warranty | 10-year limited structural*; 3-year hitch-to-bumper warranty; Transferable warranty** available on qualified trailer |

Model 3150

| | |
|------------------------|--|
| Hitch Type | Gooseneck |
| Enclosed/Open | Open |
| Length (on the floor) | 50' and 53' |
| Width | 8' 6" |
| Wall to Wall Width | NA |
| Fender to Fender Width | NA |
| Inside Height | NA |
| Loading Height | NA |
| Axles | Three 7000# axles with electric brakes; E-Z Lube axles standard. |
| Tie Downs | Stainless steel swivel "D" ring tie downs (Qty: 16) |
| Floor | Skid resistant extruded aluminum floor |
| Side Door | NA |
| Ramp | Two 9' long "Flex Foot" ramps |
| Colored Side Sheets | NA |
| Warranty | 1-year limited structural |



Model 3150 wedge car trailer can transport up to 3 vehicles and is ideal for use by trailer and car dealerships and other commercial haulers.

STACKER TRAILERS

Featherlite stacker trailers are engineered for serious haulers who demand both capacity and the Featherlite reliability. With an internal lift system, these trailers provide two levels of cargo space, perfect for transporting vehicles like cars, motorcycles, side by sides and other cargo. Featherlite stackers are available in multiple lengths to meet a wide range of needs. Built on Featherlite's reputation for quality and innovation, these stacker trailers feature all-aluminum construction, our smooth rivetless side sheet design and custom Featherlite-built cabinets.



Model 4414

| | |
|------------------------|---|
| Hitch Type | Bumper pull |
| Enclosed/Open | Enclosed |
| Length | 22', 24', 26' or 28' |
| Width | 8' 6" |
| Wall to Wall Width | 98" (rear opening width=94 1/4" |
| Fender to Fender Width | 82" |
| Inside Height | 11' 0" |
| Axles | Three 6000# rubber torsion axles with electric brakes |
| Tie Downs | Airliner track in various locations |
| Floor | Smooth extruded aluminum floor |
| Side Door | 42" heavy-duty 2" double sealed door on curbside |
| Ramp | 7' 6" high full width rear ramp with cable assist, stainless pressure latches, treadplate |
| Colored Side Sheets | White sheets standard; Black, burgundy, charcoal and silver optional |
| Warranty | 10-year limited structural*, 3-year hitch-to-bumper warranty; Transferable warranty** available on qualified trailers |

FEATURES

Giving you reliable transportation and safety for your car or other cargo is our focus. That's why Featherlite car haulers are equipped with innovative, safe and convenient features that many other manufacturers offer as options.

STANDARD FEATURES:

- Aluminum wheels and Goodyear® tires
- Thickest frame extrusions (van rail, top rail, rear frame, side posts)
- 4" side post hat channel on 16" centers
- Unmatched warranty
- Side sheets fastened with buck rivets (hold longer than screws or pop rivets) on most models
- Patented smooth rivetless .050 aluminum side sheets on Model 4410
- Cable assist rear ramp on enclosed models
- E-Z Lube axles
- Flex Foot ramps on open models
- Heavy duty tongue on all bumper pulls
- Piano hinged ramp on enclosed models
- Swivel D ring tie downs
- 81" between fender wells on most enclosed models
- Extruded aluminum floor on most models
- Plus many more!

Features may vary depending on trailer model.



Bumper pull aerodyne nose



Gooseneck tapered nose



All-aluminum construction

OPTIONS

With many choices of colors and an abundance of options, we want your trailer to be an extension of you and your passions! Visit your local dealer for a full list of available options by model.

- 110 volt lighting/electrical
- 2" double seal doors
- 6' ramp extension
- Additional height
- Additional tie downs
- Air dam
- Airliner track or A-track
- Bi-folding ramp or full-width fold up ramp
- Cabinets & workbenches
- Exterior colors
- Generator
- Internal lifts
- Kingpin hitch
- Lined and insulated
- Nudo® flooring
- Power Lift Package
- Premium escape door
- Quiet Slide ramps
- Raised deck with beavertail
- Skid Loader Package
- Vending doors
- Viewing platforms



Nudo® flooring



Premium escape door on 4410



Wide array of cabinet options



White lined & insulated interior

MORE OPTIONS

Featherlite's gooseneck Model 4941 can be customized with a number of options and layouts that take this trailer beyond just a car hauler. Lounges, kitchens, vending doors, cabinets and more are available.



For more information on the Featherlite Full Line of Trailers, visit www.fthr.com



Model 1610 Rec/utility trailer to haul all types of cargo



Model 1648 Bumper pull snowmobile hauler



Model 3115 Passenger tram trailer with benches



Model 1585 Aluminum flatbed trailer



Model 1693 Versatile open rec trailer



Vending Trailer Food or merchandise sales

Official Trailer of 

Contact a Featherlite Dealer for Details. Your area dealer is:

Ask your Dealer about loans & leases on new trailers!

- :: Competitive Rates
- :: Convenient, Flexible Payment Options
- :: Fixed Rates



Want more information?
Snap this with your smart phone to visit Featherlite's website.

phone **563.547.6000**
web www.fthr.com

toll free **800.800.1230**
email besttrailers@fthr.com

fax **563.547.6100**
address **Hwy. 63 & 9, Cresco, IA 52136**

FEATHERLITE 

*See website or dealer for details on warranty. **Transferable warranty is available only on a trailer with remaining warranty that is traded in for a new Featherlite trailer at an authorized Featherlite dealer and resold by the authorized Featherlite dealer. See dealer for details. All dimensions shown in this brochure are approximate and may vary. Featherlite Trailers reserves the right to change or alter these specifications without notice. Some trailers shown with optional equipment. ©7/2025 Featherlite Trailers. Printed in the United States.